

# Wholesale Manufacture 201 304 309 310 316 Stainless Steel H Shaped Beam H Channel Bar

#### **Basic Information**

Place of Origin: wuxiBrand Name: tai-steelCertification: ISO9001

• Model Number: 201 202 304 304L 316 316L 317L 347H

• Minimum Order Quantity: 10 Tons

• Price: \$1,000.00/Tons 10-999 Tons

Packaging Details: Wooden pallet ,Wooden box or according to

customer's request

Delivery Time: 8-14 daysPayment Terms: L/C, T/T

• Supply Ability: 20000 Ton/Tons per Month



#### **Product Specification**

• Technique: Cold Rolled

• Processing Service: Welding, Punching, Cutting, Bending,

Decoiling

Spangle Type: Zero SpangleHardness: Full HardColor: Natural Color

• Price Term: CIF CFR FOB EX-WORK

Highlight: cold rolled galvanized steel coil 3MM,

cr coil sheet Carbon Steel 3MM,

steel cold rolled coil




#### More Images





### **Specification**

|              | angle(A*T)                    |       |                          |             |                          |             |                          |
|--------------|-------------------------------|-------|--------------------------|-------------|--------------------------|-------------|--------------------------|
| Size(n<br>m) | n Theoretical<br>weight(kg/m) | ,     | Theoretical weight(kg/m) | Size(<br>mm | Theoretical weight(kg/m) | Size(<br>mm | Theoretical weight(kg/m) |
| 25*3         | 1.124                         | 70*6  | 6.406                    | 90*12       | 15.94                    | 140*1<br>0  | 21.488                   |
| 25*4         | 1.459                         | 70*7  | 7.398                    | 100*6       | 9.366                    | 140*1<br>2  | 29.398                   |
| 30*3         | 1.373                         | 70*8  | 8.373                    | 100*7       | 10.83                    | 140*1<br>4  | 33.987                   |
| 30*4         | 1.786                         | 75.5  | 5.818                    | 100*8       | 12.276                   | 140*1<br>6  | 38.518                   |
| 40*3         | 1.852                         | 75*6  | 6.905                    | 100*1<br>0  | 15.12                    | 160.1<br>0  | 24.729                   |
| 40*4         | 2.422                         | 75.7  | 7.976                    | 100*1<br>2  | 20.611                   | 160*1<br>2  | 29.391                   |
| 40*5         | 2.976                         | 75*8  | 9.03                     | 100*1<br>6  | 23.257                   | 160*1<br>4  | 33.987                   |
| 50*4         | 3.059                         | 75*10 | 11.089                   | 110*7       | 11.928                   | 160*1<br>6  | 38.518                   |
| 50*5         | 3.77                          | 80*6  | 7.376                    | 110*8       | 13.928                   | 180*1<br>2  | 33.159                   |
| 50*6         | 4.465                         | 80*7  | 8.525                    | 110*1<br>0  | 16.69                    | 180*1<br>4  | 38.518                   |
| 60*5         | 4.52                          | 80*8  | 9.658                    | 110*1<br>2  | 19.782                   | 180*1<br>6  | 43.542                   |
| 60*5         | 5.42                          | 80*10 | 11.878                   | 110*1<br>4  | 22.809                   | 180*1<br>8  | 48.634                   |
| 63*5         | 4.822                         | 90*6  | 8.35                     | 125*8       | 15.504                   | 200*1<br>4  | 42.898                   |
| 63*6         | 5.732                         | 90*7  | 9.658                    | 125*1<br>0  | 19.133                   | 200*1<br>6  | 48.68                    |
| 63*8         | 7.469                         | 90*8  | 10.946                   | 125*1<br>2  | 22.696                   | 200*1<br>8  | 54.401                   |
| 70*5         | 5.397                         | 90*10 | 13.476                   | 125*1<br>4  | 26.193                   | 200*2<br>0  | 60.056                   |



| ASTM A479,ASTM A276,ASTM A484, ASTM A582,<br>ASME SA276, ASME SA484, GB/T1220, GB4226, etc.                            |  |  |  |  |  |
|--|--|--|--|--|--|
| 201,202,304,304L,316,316L,317L,347H,310S,309S,430,904L,2205,2507,2101  |  |  |  |  |  |
| 2m, 5.8m, 6m, or as required.  |  |  |  |  |  |
| Black, peeled, polishing, bright, sand blast, hair line, etc.  |  |  |  |  |  |
| Ex-work, FOB, CFR, CIF, etc.   |  |  |  |  |  |
| Singapore, Canada, Indonesia, Korea, UK, Thailand, Peru, Saudi Arabia,<br>Vietnam, Ukraine, Brazil, South Africa, etc. |  |  |  |  |  |
| Standard size is in stock,prompt delivery or as order's quantity.  |  |  |  |  |  |
|  |  |  |  |  |  |

### Products Description



Strict selection of raw materials: it has strong bearing capacity, is not easy to rust, and has good mechanical properties, stamping, processing, bending and other hot working properties





### 02

Wholesale of manufacturers: large warehouses and large stock are available, and manufacturers can directly wholesale without going through middlemen to earn price difference

### 03

#### Spot stock:

We have a spacious warehouse, a large number of spot goods can be arranged quickly, and the transportation process can be completed efficiently.



### Inventory display







### Packaging & Delivery

#### Company Profile



Wuxi Taiding stainless steel Co., Ltd., is a stainless steel/carbon steel/alloy company engaged in the researching, stocking, sale and service of stainless steel sheet, stainless steel pipes, stainless steel profile, stainless steel bar, stainless steel coils. Carbon steel, alloy steel products. We are located in China with convenient transportation access. Our factory has rich experience in selling, stocking as we are engaged in domestic market and foreign market. Our company is the collection of selling and stocking. And now we have stock over 2000 tons with more than 800 kinds of specifications in our warehouse. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss your requirements and ensure full customer satisfaction. Selling well in all cities and provinces around China.

Our company is sincerely willing to cooperate with enterprises from all over the world in order to realize a win-win situation since the trend of economic globalization has developed with anirresistible force.



**Production equipment** 

STAINLESS STEEL SHEET



Workshop

STAINLESS STEEL COIL



Stock

STAINLESS STEEL PRODUCTS

### Application

## - Application place -



Construction Industry







Medical Industry



Wuxi TAIDING Stainless Steel Co., Ltd.



+86 15850543668



vincentfang@taidingss.com



e stainless-steelsheetcoil.com