

# Factory Offer 304 304L 316 316L 317L Hot Rolled Stainless Steel Flat Bar Standard Sizes

# **Basic Information**

Place of Origin: wuxiBrand Name: tai-steelCertification: ISO9001

• Model Number: 201 202 304 304L 316 316L 317L 347H

• Minimum Order Quantity: 10 Tons


• Price: \$2,750.00/Tons 10-999 Tons

Packaging Details: Wooden pallet ,Wooden box or according to

customer's request

Delivery Time: 8-14 daysPayment Terms: L/C, T/T

Supply Ability: 20000 Ton/Tons per Month



# **Product Specification**

• Temper: O-H112

• Grade: 300 Series, 400 Series, 200 Series

Shape: Falt Plate, Plate

• Standard: ASTM, DIN, AISI, JIS, GB

Application: Construction , Decoration, Industry

Dimensions: 3-500mm Or CustomizedTechnique: Hot Rolled, Cold Drawn

• Highlight: 0.47x1200mm 1060 aluminum coil,

0.47x1200mm 1100-h14 aluminum coil, 0.47x1200mm 1100 aluminum coil

# **Product Description**

#### How much slower are flat bars?

For example, maybe you travel, on average, 1 mile per hour slower with flat bars. Over the course of a full day of riding, you might cover 6-8 miles less than you could with drop bars. Not as good for climbing hills- You can't shift your weight as far forward with flat bars.

Specification

lou-talana ataut mar	le		
Stainless steel flat bar			
ASTM A479,ASTM A276,ASTM A484, ASTM A582,			
ASME SA276, ASME SA484, GB/T1220, GB4226, etc.			
201,202,304,304L	,316,316L,317L,347H,310S	,309S,430,904L,2205,2507,2101	
Round bar	Diameter:0.1~500mm		
Hexagonal bar	Size: 2mm~100mm		
Flat bar	Thickness	0.3~200mm	
	Width	1~2500mm	
Square bar	Size: 1mm*1mm~800mm	*800mm	
2m, 5.8m, 6m, or as required.			
Black, peeled, polishing, bright, sand blast, hair line, etc.			
Ex-work, FOB, CFR, CIF, etc.			
Singapore, Canada, Indonesia, Korea, UK, Thailand, Peru, Saudi Arabia,			
Vietnam, Ukraine, Brazil, South Africa, etc.			
Standard size is in stock,prompt delivery or as order's quantity.			
Export standard package, bundled or be required.			
The inner size of container is below:			
20ft GP: 5.9m(length) x 2.13m(width) x 2.18m(high)about 24-26CBM			
40ft GP: 11.8m(length) x 2.13m(width) x 2.18m(high) about 54CBM			
40ft HG: 11.8m(length) x 2.13m(width) x 2.72m(high) about 68CBM			
	ASTM A479,ASTM ASME SA276, AS 201,202,304,304L Round bar Hexagonal bar Flat bar  Square bar 2m, 5.8m, 6m, or a Black, peeled, poli Ex-work, FOB, CF Singapore, Canad Vietnam, Ukraine, Standard size is in Export standard pa The inner size of c 20ft GP: 5.9m(leng 40ft GP: 11.8m(ler	ASME SA276, ASME SA484, GB/T1220, GB4 201,202,304,304L,316,316L,317L,347H,310S  Round bar Diameter:0.1~500mm  Hexagonal bar Size: 2mm~100mm  Flat bar Thickness Width  Square bar Size: 1mm*1mm~800mm  2m, 5.8m, 6m, or as required.  Black, peeled, polishing, bright, sand blast, hat Ex-work, FOB, CFR, CIF, etc.  Singapore, Canada, Indonesia, Korea, UK, The Vietnam, Ukraine, Brazil, South Africa, etc.  Standard size is in stock,prompt delivery or ast Export standard package, bundled or be requirate inner size of container is below: 20ft GP: 5.9m(length) x 2.13m(width) x 2.18m 40ft GP: 11.8m(length) x 2.13m(width) x 2.18r	ASTM A479,ASTM A276,ASTM A484, ASTM A582, ASME SA276, ASME SA484, GB/T1220, GB4226, etc.  201,202,304,304L,316,316L,317L,347H,310S,309S,430,904L,2205,2507,2101  Round bar Diameter:0.1~500mm  Hexagonal bar Size: 2mm~100mm  Flat bar Thickness 0.3~200mm  Width 1~2500mm  Square bar Size: 1mm*1mm~800mm*800mm  2m, 5.8m, 6m, or as required.  Black, peeled, polishing, bright, sand blast, hair line, etc.  Ex-work, FOB, CFR, CIF, etc.  Singapore, Canada, Indonesia, Korea, UK, Thailand, Peru, Saudi Arabia, Vietnam, Ukraine, Brazil, South Africa, etc.  Standard size is in stock,prompt delivery or as order's quantity.  Export standard package, bundled or be required.  The inner size of container is below:  20ft GP: 5.9m(length) x 2.13m(width) x 2.18m(high) about 54CBM  40ft GP: 11.8m(length) x 2.13m(width) x 2.18m(high) about 54CBM

**Products Description** 

Ne can deliver your customised goods to the specified place on ime and on schedule in a number of ways. The prerequisite is a letailed description to avoid errors.









**Product application** 

We will continue to provide customers with first-class services, first-class products and strive to do the best. Create value for the customer.

# PROVIDE QUAL TY PRODUCTS













Packaging & Delivery





#### **Company Profile**

Wuxi Taiding stainless steel Co., Ltd., is a stainless steel/carbon steel/alloy company engaged in the researching, stocking, sale and service of stainless steel sheet, stainless steel pipes, stainless steel profile, stainless steel bar, stainless steel coils. Carbon steel, alloy steel products. We are located in China with convenient transportation access. Our factory has rich experience in selling, stocking as we are engaged in domestic market and foreign market. Our company is the collection of selling and stocking. And now we have stock over 2000 tons with more than 800 kinds of specifications in our warehouse. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss your requirements and ensure full customer satisfaction. Selling well in all cities and provinces around China.

cities and provinces around China.

Our company is sincerely willing to cooperate with enterprises from all over the world in order to realize a win-win situation since the trend of economic globalization has developed with anirresistible force.



# **Production equipment**

STAINLESS STEEL SHEET



# Workshop

STAINLESS STEEL COIL



#### Stock

STAINLESS STEEL PRODUCTS

# Transport















**元原本語画** Wuxi TAIDING Stainless Steel Co., Ltd.



+86 15850543668





vincentfang@taidingss.com stainless-steelsheetcoil.com

28 Nongshi Road, Xishan District, Wuxi City, Jiangsu Province, China